

References

- Kosteniuk, B., Salvalaggio, G., Wild, T. C., Gelberg, L., & Hyshka, E. (2022). Perceived unmet substance use and mental health care needs of acute care patients who use drugs: A cross-sectional analysis using the Behavioral Model for Vulnerable Populations. *Drug & Alcohol Review, 41*(4), 830–840. <https://doi-org.ezproxy.tru.ca/10.1111/dar.13417>
- Mullen, J. N., Levitt, A., & Markoulakis, R. (2023). Supporting Individuals with Mental Health and/or Addictions Issues Through Patient Navigation: A Scoping Review. *Community Mental Health Journal, 59*(1), 35–56. <https://doi-org.ezproxy.tru.ca/10.1007/s10597-022-00982-2>
- Rosenthal, L. D. (2018). Initiating SBIRT, Alcohol, and Opioid Training for Nurses Employed on an Inpatient Medical-Surgical Unit: A Quality Improvement Project. *MEDSURG Nursing, 27*(4), 227–230.
- Torres, L. K. E., Lu, T. Y., Weimer, M. B., Stein, M. R., & Cunningham, C. O. (2022). Clinical Management of Opioid Withdrawal. *Addiction, 117*(9), 2540–2550. <https://doi.org/10.1111/add.15818>
- Ycaza-Gutierrez, M. C. (2015). Bedside Nurse-Driven Protocol for Management of Alcohol/Polysubstance Abuse Withdrawal. *Critical Care Nurse, 35*(6), 73–76. <https://doi.org/10.4037/ccn2015194>
- Zavodnick, J., Heinsinger, N. M., Lepore, A. C., & Sterling, R. C. (2023). Medication Initiation, Patient-directed Discharges, and Hospital Readmissions Before and After Implementing Guidelines for Opioid Withdrawal Management. *Journal of Addiction Medicine, 17*(1), e57–e63. <https://doi.org/10.1097/ADM.0000000000001053>